

## Receiving Report

Date: 10/6/4  
 Supplier: MARNON

Batch No: M114852  
 Dart P/O: 11997

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection 10/6/09 N/A ☐  
 Work Order 10/6/09 N/A ☒

### Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin: 10/6/4  
 Date    
 Received/Costing    
 Initial  

Location

## Purchase Order Receipt Listing

Page 1 of 1

June 04, 2010 2:37:26 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO11997 Receipt Dates from 6/4/2010 to 6/4/2010 All Line Item Types

All Item ID/GL/WOs    All Rec. Employees    All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MAR001	Marmon/Keystone Canada Ltd.								
PO11997	1		M303R0.500	f	6/4/2010	6/4/2010	24.0000	\$1.72	0.0000	0	\$41.28
CAD	No		303 Round Bar 0.500"	f	24.0000	DCUSER		\$41.28	0.0000	0	
			114852								
	2		M304TR0.750W.049	f	6/4/2010	6/4/2010	300.0000	\$1.90	0.0000	0	\$570.00
	No		304 RD Tube .750 x .049W	f	300.0000	DCUSER		\$570.00	0.0000	0	
			114852								
	3		M6061T6T0.500W.0	f	6/4/2010	6/4/2010	204.0000	\$2.20	0.0000	0	\$448.80
	No		6061-T6 RD Tube .500 x.058W	f	200.0000	DCUSER		\$448.80	0.0000	0	
			114852								
Total Received Quantity:											528.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,060.08
Total Balance Due Quantity:											0.0000



**Marmon/Keystone Canada Inc.**

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay  
Boucherville QU CAN J4B 5X9  
TEL. 514/527-9153  
FAX. 450/641-4357

**PACKING SLIP**

PAGE...: 1  
Order : 1088991  
Date...: 06/03/2010

SOLD TO: \_\_\_\_\_

SHIPPED TO: \_\_\_\_\_

DART AEROSPACE LTD  
1270 ABERDEEN STREET

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

SHIP VIA		F.O.B.		SALESPERSON		YOUR ORDER NO.	
TST OVERLAND #22212		BOUCHERVILLE		G. Dulude		11997	
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered			
	Fax all papers to Linda Lacelle 613-632-1053 Mill tests required with all shipment  rev:08/08						
01	24 /FT STAINLESS ROUND BAR SBR .500 CD 303 HT#..... 422802 Total...	2 2	24/FT 2 IN 24/FT 2 IN				
02	300 /FT STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 316L 3/4 X .049 A213 STS .750 .049 316L Tariff Number: 7304. HT#..... TGB090301 Total...	15 15	300/FT 300/FT				
03	200 /FT ALUMINUM SMLS TUBE ATS .500 .058 D6061 Tariff Number: 7608.20.00.90 HT#.....: F00005123 HT#.....: F00006343 Total...	10 7 17	120/FT 84/FT 204/FT				

No. of Bcls Crate

0 / 1

Total Weight.....:

145

Customers.: \_\_\_\_\_



A Marmon Distribution Services/Berkshire Hathaway Company



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO11997

Purchase Order Date 6/02/10

PO Print Date 6/02/10

Page Number 1 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAXED**  
*6/2/10*

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M303R0.500	303 Round Bar 0.500"	6/04/10 Yes	✓ 24.00 f	TST ground	\$1.7200	\$41.28
		Special Inst:	MATERIAL: AISI 303 SS ROUND BAR NOTE: AISI 304/316 NOT ACCEPTABLE				
2	M304TR0.750W.049	304 RD Tube .750 x .049W	6/04/10 Yes	✓ 300.00 f	TST ground	\$1.9000	\$570.00
		Special Inst:	MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING ASTM A213 OR ASME SA213 OR ASTM A269				
3	M6061T6T0.500W.058	6061-T6 RD Tube .500 x.058W	6/04/10 Yes	200.00 f	TST ground	\$2.2000	\$440.00
		Special Inst:	MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8				

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 1

Change Date: 6/02/10



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO11997**

Purchase Order Date 6/02/10

PO Print Date 6/02/10

Page Number 2 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 361 8142

450 641 4357

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

PO Total:

\$1,051.28

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 6/02/10

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

08/25/2009 From: MARMON/KEYSTONE CORPORATION  
M/K OR: 6007687  
C.P.O.: MN6453  
C PART:

To:

INIT.:

OR. REF:

SLSPRS:

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 60-5843-4		CUSTOMER PART NUMBER: AT/5.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 203269	LINE ITEM: 004	SHIP DATE: 05/19/2009	KAISER LOT NUMBER: F00005126	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 542.000 LB	QUANTITY: 475.000 PCS	B/L NUMBER: 202311	QAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA			SOLD TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

S  
126615

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON% IACS	BEND
F00005126	.0001	1	47.8	43.8	12.1	N/A	N/A	N/A
F00005126	.0002	1	45.4	41.3	12.0	N/A	N/A	N/A
F00005126	.0003	1	46.9	42.8	12.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D66960	.61	.32	.22	.06	1.00	.10	.05	.03	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: MADE IN USA  
OD: 0.500"; Wall: 0.058"; Round @  
AMS-4082P ASTM-B210-04 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.  
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR  
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.  
COMPLIES TO DIN EN 10204 JAN 2005

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Wilfredo A. delaCruz, Sr. Metallurgical Engineer

Plant Serial: 00004354

*Wilfredo A. delaCruz*

Kaiser Order Number: 203269

Page 1 of 2

Line Item: 004

ATS .500 .058 D6061 T6

08/25/2009 From: MARMON/KEYSTONE CORPORATION

M/K OR: 6007687

C.P.O.: MN6453

C PART:

INIT.:

To:

OR. REF:

SLSPRS:

**KAISER**  
**ALUMINUM**  
FABRICATED PRODUCTS

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**Miscellaneous Notes**

MANUFACTURED IN USA MELTED IN USA

**Q. C. REVIEWED**

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Wilfredo A. delaCruz, Sr. Metallurgical Engineer

*Wilfredo A. delaCruz*

Plant Serial: 00004354

Kaiser Order Number: 203269

Line Item: 004

Page 2 of 2

# Acciaierie Valbruna S.p.A.



**CERTIFICATO DI COLLAUDO**  
**ABNAHMEPRUEFZEUGNIS**  
**INSPECTION CERTIFICATE**  
**CERTIFICAT DE RECEPTION**  
**EN 10204 (2005) , 3.1**

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.  
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clients / Besteller/Purchaser/Clients  
**VALBRUNA CANADA LTD**  
8724 HOLGATE CRESCENT  
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**  
Hersteller/Fabrik/Usine productrice

Avviso di Spedizione: D-VI09010751  
Lieferanzeige/Packing list/B.L.

Ordine nr: 904002237 Stock - Canada  
Bestell/Your order/Commande

Certificato nr: MEST746116/2009/  
Prüfung/Test/Essai

Conferma ordine nr: EI09002088  
Works/Our Order/Ref. nr.

Marchio di Fabbrica:  
Zeichen des Lieferwerkes  
Trade mark  
Sigle de l'usine productrice



Punzone del Collaudatore:  
Stempel des Werksachverständigen  
Inspector's stamp/Pointon de l'essayeur

Oggetto Prove: - Annealed Cold Drawn  
Prüfgegenstand/Item inspected/Finissage

Tipo di Elaborazione: E+AOD  
Erschmelzungsart/Melting process/Mode d'elaboration

Specifiche:  
Anforderungen / Requirements / Exigences

VS1 0 303 HS A,CF  
ASME SA320 2007 B8F 0  
ASTM A370 2009  
QQ-S-764 B/2 303 A  
(0) SEC.II PT.A 2007 EDITION ADD. 2008a  
(1) Chemical analysis only.

AMS 5640 U S30300 A  
ASTM A314 2008 S30300  
ASTM A582 2005 S30300 A

AMS 5640 U TYPE1 A  
ASTM A320 2008 B8F (1)  
MIL-S-862 B/1 303

0Chemical analysis only.

Qualità: T-303

Werkstoff/Grade/Usine

Marca: MV188ZHS MAXIVAL

Markenbezeichnung/Brand/Nuance

Punzonatura: 303

Kennzeichnung/Marking/Marqueuse

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descript. du produit	Dimensioni - in Abmessungen Dimension Dimensions	Tolleranza Toleranz Allowance Tolérance	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0010	Round	0,5000	484-06B	145 / 145	422802		2,571	818603790

Sono state soddisfatte tutte le condizioni richieste.  
Die gestellten Anforderungen sind erfüllt.  
The material has been furnished in accordance with the requirements.  
Le matériel a été livré conforme aux exigences.

Controllo antimescolanza: OK  
Verwechslungsprüfung: spektralanalytisch durchgeführt  
Antimixing testing performed: OK  
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze.  
Beachtung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional checks: satisfactory  
Contrôle visuel et dimensionnel: satisfaisant

TEST	Provetta/Probe Specimen/Eproben Long. diam. Spina Größe Diam. Stiele Weld. Diam. Thickness Lap. diam. épais mm	°F	Posiz. Saggio Auswertung Lecture mm	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einengung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB
	Valori richiesti / Anforderungen/Required values Valeurs demandées	min								140
		max								255
A	12,5	68	L	85		110	37	52		253

Mechanical properties according to ASTM A370.

Grain size for ASTM E112 : 5

1)L=longitudinale/längs, T=transversale/quers, O=Tangenziale/tangential

## Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata / Heat Schmelze/Coulée	min 0,030 max 0,050	0,20 1,00	1,50 2,00	17,00 19,00	0,60	1,00	8,00 10,00	-	0,100	0,32 0,40	0,4000	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %	-	-	-	-
422802	0,042	0,44	1,81	17,42	0,41	0,63	8,20	0,09	0,027	0,34	0,0044				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1, s., 4.3 by TÜEV and LLOYD'S

MARMON / KEYSTONE

Q.C. REVIEWED	
DATE	INITIAL
08/09	JA

Vicenza, 07/05/09 VCO008 (Mod. MCER)	Il collaudatore di stabilimento / der Werksachverständiger / Works inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 1
--	---	-----------------





# SHANGHAI CRYSTAL PALACE PIPE CO., LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE: 201302

## MILL TEST CERTIFICATE

ISO9001:2000 ; PED Material CERTIFICATE (No.: QAC0021058/A)

DATE OF ISSUE: 2010/5/28

CUSTOMER: MARMON/KEYSTONE CANADA INC.							CERTIFICATE NO. : 2010-1-10-A-12					
P.O.NO.: MN6548							ORDER NO. : 2010-01-010-A					
COMMODITY: STAINLESS STEEL SEAMLESS TUBING.							GRADE : ASTM A213-07 TP316/TP316L					
CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT.							HEAT NO. : TGB090301					
CHEMICAL CONTENTS (WT%)												
ELEMENTS	C	Mn	P	S	Si	Ni	Cr	Mo				
SPECIFICATION	≤ 0.035	≤ 2.00	≤ 0.040	≤ 0.030	≤ 0.75	10.0~14.0	16.0~18.0	2.00~3.00				
RESULTS ( LADLE )	0.026	0.79	0.038	0.003	0.38	11.09	16.56	2.07				
PHYSICAL PROPERTIES												
Dimensions			Bundle No.	Pieces	Weight (kg)	0.2%YS (Mpa) ≥ 205	T S (Mpa) ≥ 515	EL (%) ≥ 35	FLARING TEST	FLATTENING TEST	HARDNESS HRB ≤ 80	EDDY CURRENT TEST TO E426 (100%)
O.D (inch)	W.T (inch)	Length (feet)										
0.375	0.065	20	10-1-125	50	99	370	620	52.5	OK	OK	73	OK (DRILLED HOLE)
0.750	0.049	20	10-2-85	40	135	285	610	52.5	OK	OK	74	OK (DRILLED HOLE)
0.750	0.065	20	10-1-250	50	220	290	615	58.5	OK	OK	72	OK (DRILLED HOLE)
REMARKS:						1. WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT						
AS PER ASTM A213/ASME SA213-07						2. THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.						
WALL THICKNESS TOLERANCE AS PER ASTM A269-07						SHANGHAI CRYSTAL PALACE PIPE CO., LTD  MANAGER OF QUALITY ASSURANCE DEPARTMENT						
IN COMPLIANCE TO NACE MR0175-2002												
SOLUTION HEAT TREATMENT : 1050°C X 1.5m/min												
IC TEST TO ASTM A262 PRACTICE E												
NO WELD REPAIR WAS PERFORMED												
FREE FROM MERCURY CONTAMINATION												
COUNTRY OF ORIGIN: CHINA												
MILL TEST CERTIFICATE TO EN 10204/3.1												
INVOICE NO: YK-10-03-83												

Q.C. Reviewed  
2010/06/01/10

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 60-8143-1		CUSTOMER PART NUMBER: AT/5.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 204128	LINE ITEM: 001	SHIP DATE: 10/28/2009	KAISER LOT NUMBER: F00006343	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 691.000 LB	QUANTITY: 806.000 PCS	B/L NUMBER: 203279	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA			SOLD TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

## Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00006343	0001	1	47.4	44.0	12.0	N/A	N/A	N/A
F00006343	0002	1	48.3	44.9	12.5	N/A	N/A	N/A

## Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D67559	.64	.30	.22	.05	.96	.07	.04	.02	.00	.00	.00	.00	.02

## Applicable Requirements:

Description: MADE IN USA

OD: 0.500"; Wall: 0.058"; Round @

AMS-4082P ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,

WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

MARMON / KEYSTONE

Q.C. REVIEWED	
DATE	INITIAL
6/1/10	JA

## CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Plant Serial: 00005480

Kaiser Order Number: 204128

Line Item: 001

Page 1 of 2

*Christopher J. Garcia*  
*ATS 500.058 D6061 T6*

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

**Miscellaneous Notes**

MANUFACTURED IN USA MELTED IN USA

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

*Christopher J. Garcia*

Plant Serial: 00005480

Kaiser Order Number: 204128

Page 2 of 2

**Q. C. REVIEWED** m: 001



# Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

Tel -514-527-9153 232 Wats 1-800-361-8142 FAX -450-641-4357

E-mail: gdulude@mkcdn.com

PAGE.: 1

Date.: 6/01/10

Quotation number.: 1-567885

## SOUSSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

Fax.....: 613 632 1053

ATTN.: CHANTAL LAVOIE

Sold To:

DART AEROSPACE LTD  
1270 ABERDEEN STREET

Ship To:

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

TST OVERLAND #222212

F.O.B

BOUCHERVILLE

Salesperson

G. Dulude

Your Reference No.

Termes

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written non-cancellable order to accept this quotation.

Nous vous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

Quantité/ Quantity	Description	Jours Livraison Days	Prix Pricing
Line - 1 24 FT	STAINLESS ROUND BAR A582 SBR .500 CD 303 stock	1	1.720/FT 41.28
Line - 2 300 FT	STAINLESS STEEL SEAMLESS TUBE A213/SA213 A.W. POLI STS .750 .049 316L stock en 316L seulement	1	1.900/FT 570.00
Line - 3 200 FT	ALUMINUM SMLS TUBE T6 DRAWN B-210 ATS .500 .058 D6061 stock in 12'	1	2.200/FT 440.00
Unfortunately, I can't help you with the other items.			
Energy Surcharge			12.20
Taxes applicables: En sus/ All applicable taxes Extra: Tarifs douaniers/ Duty		Montant total/ Total Amount....:	1,063.48
Les prix soumis sont en fonds canadiens sauf si precise autrement/ All prices quoted in Canadian Dollars unless otherwise stated.		Poids total/ Total weight.....:	145.1 lbs



Services de distribution Marmon/La société Berkshire Hathaway